Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 24

JUNE 15, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Virulent smallpox—Worcester, Mass. 939
Epidemic cerebrospinal meningitis—Recorded prevalence by States, 1916. 939
Morbidity statistics of hospitals—The need for morbidity statistics of general hospitals, special hospitals, sanatoria, etc., and means for their collection and publication. 940

PREVALENCE OF DISEASE.

United States:
Current State summaries—
California report for the week ended June 9, 1917. 948
Cerebrospinal meningitis—
Kansas. 948
Texas—Galveston. 949
State reports for April, 1917. 949
City reports for week ended May 26, 1917. 949
Erysipelas—
City reports for week ended May 26, 1917. 950
Leprosy—
California—Los Angeles. 950
City reports for week ended May 26, 1917. 950
Malaria—
State reports for April, 1917. 950
City reports for week ended May 26, 1917. 951
Measles—
California—Los Angeles. 951
Pellagra—
State reports for April, 1917. 951
City reports for week ended May 26, 1917. 951
Plague—
California—Santa Cruz County—Plague-infected squirrels found. 951
Pneumonia—
City reports for week ended May 26, 1917. 952
Poliomyelitis (infantile paralysis)—
Ohio report for April, 1917. 952
City reports for week ended May 26, 1917. 952
Rabies in animals—
City reports for week ended May 26, 1917. 952
Smallpox—
Connecticut. 953
Minnesota. 953
Oregon—Astoria. 953
Ohio report for April, 1917. 953
Miscellaneous State reports. 954
City reports for week ended May 26, 1917. 955
Tetanus—
City reports for week ended May 26, 1917. 955

United States—Continued.
Typhoid fever— Page.
State reports for April, 1917 955
City reports for week ended May 26, 1917 956
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for April, 1917 957
City reports for week ended May 26, 1917 957
Foreign:
Arabia—
Further relative to plague—Aden 961
Brazil—
Plague, January-April, 1917—Pernambuco State 961
Cuba—
Communicable diseases—Habana 961
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended June 15, 1917—
Cholera 961
Plague 962
Smallpox 962
Typhus fever 962
Reports received from Dec. 30, 1916, to June 8, 1917—
Cholera 962
Plague 964
Smallpox 967
Typhus fever 970
Yellow fever 972